



SAFETY DATA SHEET

1% SKEETER™ ABATE®

Effective Date: 1 June 2015

v.01

Page 1 of 10

SECTION 1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Identifier

Formulation Identifier: 1% SKEETER™ ABATE®
EPA Registration Number: 8329-17
Chemical Name: Temephos 1% sand granule

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant identified uses: Pesticide, Insecticide for control of mosquito larvae.
Uses advised against: Keep out of public waterways except as permitted by applicable government authorities.
Keep out of the reach of children. See product label for use restrictions.

1.3 Details of the Supplier

Clarke Mosquito Control Products, Inc.
675 Sidwell Court
St. Charles, IL 60174 U.S.A.
+1 (630) 894-2000
Email: Clarke@clarke.com

1.4 Emergency Telephone Number

Medical Emergency: POISON CONTROL (800) 214 – 7753
Transportation Emergency: INFOTRAC (800) 535 – 5053

SECTION 2. Hazards identification

United States (US)
According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the Substance or Mixture

Classification

Carcinogenicity, Category 1A
Toxic to Reproduction, Category 1B
STOT, Single Exposure, Category 3
STOT, Repeat Exposure, Category 1

Hazard Statements

May cause cancer (inhalation)
May damage fertility or the unborn child
May cause respiratory irritation
Causes damage to organs (lung/respiratory system) through prolonged or repeated exposure (inhalation)

Pictograms:



Signal Word: DANGER

Precautionary Statements:



SAFETY DATA SHEET

1% SKEETER™ ABATE®

Effective Date: 1 June 2015

v.01

Page 2 of 10

PREVENTION: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Do not breathe dust. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. Do not eat, drink or smoke when using this product.

RESPONSE: If inhaled: Remove victim to fresh air and keep comfortable for breathing. If inhaled. Call poison center/doctor if you feel unwell.

If exposed or concerned: Call a poison control center or doctor for medical advice/attention. Specific treatment: see note to physician in Section 4.

Get medical advice/attention if you feel unwell.

For medical treatment information, contact the poison control hotline at 1-800-214-7753. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

STORAGE: Store locked up. Keep container tightly closed.

DISPOSAL: Dispose of contents and container in accordance with local/regional/national regulations.

2.2 Other Hazards Not Classifiable Under OSHA 2012 HCS

See product label for any additional hazards

SECTION 3. Composition/Information on Ingredients

3.1 Components

Substance Name	CAS No.	Concentration % w/w	Classification OSHA 2012 HCS 1910.1200
Temephos	3383-96-8	1.0	STOT RE: 1
Anionic/nonionic blend	Proprietary	< 0.9	Carc: 2, Repro: 1B, STOT SE: 1
Diatomaceous earth	68855-54-9	1 – 5	STOT SE: 3, STOT RE 2 (RTI)
Silica quartz SiO ₂ (sand)	14808-60-7	> 84.5	Carc: 1A, STOT SE: 3, STOT RE 1 (RTI)

Ingredients not identified are non-hazardous and/or are not required to be disclosed pursuant to 29 CFR 1910.1200 (2012), and are withheld as trade secret.

SECTION 4. First Aid Measures

4.1 Description of First Aid Measures

Inhalation: Keep patient calm, remove to fresh air, seek medical attention.

Skin contact: Wash thoroughly with soap and water. Rinse skin with plenty of water for 15-20 minutes. Remove clothing. Wash clothing separately and clean shoes before reuse.

Ingestion: Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow. Obtain emergency medical attention.

Eye contact: Immediately flush eyes with water. Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed.

Risk of decrease in cholinesterase activity. If poisoning is probable, treat the patient immediately.



SAFETY DATA SHEET

1% SKEETER™ ABATE®

Effective Date: 1 June 2015

v.01

Page 3 of 10

Inhalation: shortness of breath, coughing, reduced pulmonary function. Prolonged inhalation of respirable silica may result in lung damage, silicosis. No specific first aid is necessary since the adverse health effects associated with exposure to crystalline silica (quartz) result from chronic exposures.

See also section 2 and/or section 11.

4.3 Indication of Immediate Medical Attention and Special Treatment

Treatment (Note to Physician):

Pralidoxime chloride (2-PAM, PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions. Before administering pralidoxime chloride, obtain a blood sample for cholinesterase analysis. Adjusting for age and weight, pralidoxime may be administered as a continuous infusion after a loading dose or using a bolus method. Clear airway and provide oxygen before administering atropine. Give atropine intramuscularly or intravenously, depending on severity of poisoning. Atropine may be administered through an alternative route such as an endotracheal tube. The dosage for atropine is as follows: 1 to 2 mg/kg initially IV in adults (or 0.05 mg/kg in children under 12 years) then give appropriate doses every 5 minutes until excessive secretions and sweating have been controlled. Use soap (preferably Tincture Green Soap) and water or dilute hypochlorite solution for decontaminating skin. Avoid opiates, parasympthomimetic agents (e.g. succinylcholine), theophylline, reserpine and or phenothiazines. Suction oral secretions and emesis to avoid aspiration. Artificial respiration or oxygen administration may be necessary. If not contraindicated, gastric emptying by lavage may be considered after ingestion of a potentially life-threatening amount if it can be performed soon after ingestion (within an hour). A slurry of activated charcoal may be medically warranted at an oral dose appropriate for adult, child or infant. For seizures, give benzodiazepine intravenously. Observe patient continuously for a least 72 hours. Allow no further exposure until cholinesterase generation has taken place as determined by blood tests.

SECTION 5. Fire-Fighting Measures

5.1 Extinguishing Media

Suitable Extinguishing Media: Carbon Dioxide (CO₂), Dry Chemical, Foam

Unsuitable Extinguishing Media: Water jet may cause pesticide run-off. If water is used, use spray or fog, solid stream may cause spreading.

5.2 Special Hazards Arising From the Substance or Mixture

Specific Hazards: Carbon monoxide, carbon dioxide, sulfur oxides, phosphorous oxides can be released in case of fire.

5.3 Special Protective Equipment and Precautions for Fire-Fighters

Protection Against Fire: Wear positive pressure, self-contained breathing apparatus and protective firefighting clothing (includes fire-fighting helmet, coat, pants, boots, and gloves).

Special Procedures: Collect contaminated extinguishing water, do not allow to reach sewage or effluent systems. Do not scatter spilled material with high-pressure water streams. Dike for later disposal. Use extinguishing agents appropriate for surrounding fire. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion, do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

SECTION 6. Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures



SAFETY DATA SHEET

1% SKEETER™ ABATE®

Effective Date: 1 June 2015

v.01

Page 4 of 10

General Precautions: Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Information regarding exposure controls/personal protection can be found in section 8.

Environmental Precautions: Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.2 Methods and Material for Containment and Cleaning Up

Clean Up Methods: For small amounts: Contain with dust binding material and dispose of.
 For large amounts: Sweep/shovel up.
 Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.
 Information regarding disposal considerations can be found in section 13.

SECTION 7. Handling and Storage

7.1 Precautions for Safe Handling

Handling: Keep out of reach of children. Ensure thorough ventilation of stores and work areas. When using, do not eat, drink or smoke.

This product is NOT to be used for abrasive blasting.

Hygiene Measures: Use good housekeeping procedures to prevent the accumulation of silica dust in the workplace. Avoid the creation of respirable dust. Remove Personal Protective Equipment (PPE) immediately after handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove soiled clothing immediately and clean thoroughly before using again. Store clean clothing and PPE separately so that it does not become dusty with this product.

Protection against fire: Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge – sources of ignition should be kept well clear – fire extinguishers should be kept handy.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Storage: Store in compliance with local regulations. Keep out of reach of children. Segregate from foods and animal feeds.

Keep away from heat. Protect against moisture. Protect from direct sunlight.

SECTION 8. Exposure Controls / Personal Protection

These precautions are suggested for conditions where the potential for exposure exists. Emergency conditions may require additional precautions.

8.1 Control Parameters

Component Name	CAS No.	List/Source	Type	Value
Temephos	338396-8	ACGIH	TLV	1 mg/m ³ inhalable fraction (TWA)
		OSHA	PEL	5 mg/m ³ respirable fraction 15 mg/m ³ total dust
		OSHA	TWA	5 mg/m ³ respirable fraction 10 mg/m ³ total dust



SAFETY DATA SHEET

1% SKEETER™ ABATE®

Effective Date: 1 June 2015

v.01

Page 5 of 10

Diatomaceous earth (amorphous silica)	68855-54-9	OSHA	PEL	0.1 mg/m ³ total dust
		ACGIH	TWA	6 mg/m ³ total dust
Silica quartz	14808-60-7	ACGIH	TLV	0.05 mg/m ³ , respirable fraction
		OSHA	PEL	10 mg/m ³ / % SiO ₂ + 2 (8-hr TWA)

8.2 Exposure controls

Engineering Controls: Whenever possible, engineering controls should be used to minimize the need for personal protection equipment.

Individual Protection Measures, such as Personal Protection Equipment:

Eye Protection: Wear safety Glasses with side shields, tightly fitting safety goggles (chemical goggles), or glasses with face shield.

Skin Protection: Wear suitable protective clothing including long-sleeve shirt, long pants, shoes and socks. Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, coveralls.

Hand Protection: Wear suitable protective chemical resistant gloves. Protective glove selection must be based on the user's assessment of the workplace hazards.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment. Not usually required. However, mixers/loaders and applicators supporting aerial application must wear a dust/mist filtering respirator with MSHA/NIOSH Approval Number prefix TC-21C or a NIOSH-approved respirator with any N, R, P, or HE pre-filter.

SECTION 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance:	Free flowing granule
Color:	Light to dark grey and brown
Odor:	Slight decay, antiseptic-like odor of mercaptan
Odor Threshold:	Not Determined
pH:	The product has not been tested
Melting Point:	The product has not been tested
Freezing Point:	Not Applicable
Initial Boiling Point:	Not Applicable
Flash Point:	Will not flash
Evaporation Rate:	Not Applicable
Flammability:	Not Flammable
Explosion limits [U/L]:	The product has not been tested
Vapor Pressure:	The product has not been tested
Vapor Density:	Not Determined
Density/Bulk Density:	1.61 g/mL (100.5 lb/cu ft)
Solubility:	<i>Temephos</i> , in water: 0.03 mg/L @ 25°C
Partition Coefficient:	<i>Temephos</i> , <i>n</i> -octanol/water (<i>log Kow</i>): 4.9
Auto-Ignition Temperature:	Based on its structural properties the product is not classified as self-igniting
Viscosity:	Not Applicable



SAFETY DATA SHEET

1% SKEETER™ ABATE®

Effective Date: 1 June 2015

v.01

Page 6 of 10

Decomposition Temperature: Not Determined

Explosive Properties: Not Determined

Oxidizing Properties: Not Determined

SECTION 10. Stability and Reactivity

10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2 Chemical Stability

Stable under normal conditions

10.3 Possibility of Hazardous Reactions

Hazardous Reactions: None under normal conditions

Hazardous Polymerization: Not known to occur

10.4 Conditions to avoid

See Section 7 – Handling and Storage.

10.5 Incompatible materials

Substances to avoid: strong acids, strong bases, strong oxidizing agents

10.6 Hazardous decomposition products

None known under normal conditions of storage and use

SECTION 11. Toxicological information

11.1 Information on Likely Routes of Exposure

Routes of entry for solids are ingestion and inhalation, but may include eye or skin contact.

11.2 Information on Toxicological Effects

Acute Toxicity / Effects

This product has not been tested. Except where noted, acute toxicity assessment is presented for Temephos Technical. Assessment of acute toxicity: Slightly toxic after ingestion. Relatively non-toxic after short-term inhalation. Moderately toxic after short term skin contact.

Oral, Male Rat LD₅₀ > 5 000 mg/kg-bw

Dermal, Rat LD₅₀ > 2 000 mg/kg-bw

Inhalation, Rat LC₅₀ > 5.09 mg/L

Skin Corrosion/Irritation: Not irritating to the skin

Serious Eye Damage/Irritation: Minimal eye irritation (Tested substance is 1% Skeeter™ Abate®)

Skin Sensitization: Not a skin sensitizer.

STOT Single Exposure: This product has not been tested. The statement has been derived from the properties of the individual components:



SAFETY DATA SHEET

1% SKEETER™ ABATE®

Effective Date: 1 June 2015

v.01

Page 7 of 10

Diatomaceous Earth: STOT-SE Category 3, Respiratory Tract Irritant
Silica quartz: STOT-SE Category 3, Respiratory Tract Irritant

Chronic Toxicity/Effects

Assessment of repeated dose toxicity: Causes signs of neurotoxicity through prolonged or repeated exposure.

Germ Cell Mutagenicity

This product has not been tested. The statement has been derived from the properties of the individual components. No data is available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. For temephos, no mutagenic effect was found in various tests with microorganisms and mammalian cell culture.

Carcinogenicity

The product has not been tested. The statement has been derived from the properties of the individual components. The product contains:

Proprietary anionic/nonionic surfactant blend: Category 2 Carcinogenicity
Silica quartz: Category 1A Carcinogenicity (inhalation)

For temephos: in long-term studies in rats in which substance was given by feed, a carcinogenic effect was not observed.

Reproductive Effects:

The product has not been tested. The statement has been derived from the properties of individual components. The product contains:

Proprietary surfactant blend: Cat 1B Reproductive Toxicity

For temephos: the results of animal studies gave no indication of a fertility impairing effect. No indications of a developmental toxic / teratogenic effect were seen in animal studies.

STOT – Repeated exposure

The product has not been tested. The statement has been derived from the properties of individual components. The product contains.

Temephos: STOT-RE Category 1
Silica quartz: STOT-RE Category 1, Respiratory Tract Irritant
Diatomaceous earth: STOT-RE Category 3, Respiratory Tract Irritant

Toluene: STOT-RE Category 2

SECTION 12. Ecological Information

12.1 Ecotoxicity

Product specific data is not available. Data referenced is in relation to the active ingredient, Temephos.

Acutely harmful for fish. Very toxic (acute effect) to aquatic invertebrates. Acutely harmful to terrestrial organisms.

Toxicity to Fish: 96-hr Acute LC₅₀ 9.6 mg/L, *Oncorhynchus mykiss*

Toxicity to Aquatic Invertebrates: 48-hr EC₅₀ 0.011 ppb, *Daphnia magna*

Toxicity to Aquatic Plants: Not determined

Toxicity to (terrestrial) mammals: Stated in Section 11

Toxicity to (terrestrial) non-mammals: 5-d LC₅₀ 1,200 mg/kg, *Anas platyrhynchos*

Toxicity to microorganisms: Not determined

12.1 Persistence and Degradability

Product specific data not available. Data referenced is in relation to the active ingredient, Temephos.



SAFETY DATA SHEET

1% SKEETER™ ABATE®

Effective Date: 1 June 2015

v.01

Page 8 of 10

Biodegradability:	Not readily biodegradable (by OECD criteria)
Bioaccumulation:	Bioconcentration (BCF) 2,300 (28 d), <i>Lepomis macrochirus</i> Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is possible
Mobility in Soil:	Following exposure to soil, adsorption to solid particles is probable, therefore contamination of groundwater is not expected.

SECTION 13. Disposal Considerations

13.1 Waste Treatment and Disposal methods

Pesticide wastes are regulated. Consult product label for chemical substance and container disposal instructions. Avoid release to the environment. Improper disposal of excess product or rinsate is a violation of the Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA regional office for guidance.

Container disposal: Rinse thoroughly in accordance with label instructions. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

SECTION 14. Transport Information

14.1 DOT

UN Number:	UN3077
Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Temephos)
Hazard Class:	9
Packing Group:	III
Environmental Hazard:	Yes

14.2 IMDG (Vessel)

UN Number:	UN3077
Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Temephos)
Hazard Class:	9
Packing Group:	III
Environmental Hazard:	Yes
Marine Pollutant:	Yes

14.3 ICAO/IATA (Air transport)

UN Number:	UN3077
Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Temephos)
Hazard Class:	9
Packing Group:	III
Environmental Hazard:	Yes
Marine Pollutant:	Yes

SECTION 15. Regulatory Information

FIFRA Information: This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information for safety data sheet, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal Word: CAUTION



SAFETY DATA SHEET

1% SKEETER™ ABATE®

Effective Date: 1 June 2015

v.01

Page 9 of 10

KEEP OUT OF REACH OF CHILDREN

FIRST AID	
Have product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency information, call the International Poison Control Center at 1-800-214-7753.	
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If the person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
Note to physicians: This product may cause cholinesterase inhibition. Atropine is antidotal. Pralidoxime chloride (2-PAM; PROTOPAM chloride) may be effective as an adjunct to atropine. Probable mucosal damage may contraindicate the use of gastric lavage.	

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if absorbed through skin. Harmful if swallowed. Harmful if inhaled. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Do not contaminate food or feed products.

Personal Protective Equipment (PPE): Loaders, applicators and other handlers involved in ground applications, loaders and applicators involved in backpack blower applications must wear long-sleeved shirt and long pants, shoes and socks, chemical-resistant gloves, and protective eyewear, such as goggles, or safety glasses. Aerial applicators and flaggers must wear long-sleeved shirt, long pants, shoes plus socks. Flaggers must wear chemical-resistant headgear and protective eyewear. All other loaders, applicators and handlers must wear coveralls over long-sleeved shirt and long pants, chemical-resistant gloves, chemical-resistant footwear plus socks, protective eyewear, such as goggles or safety glasses, and chemical-resistant headgear (if overhead exposure). Loaders supporting aerial applications must wear a dust-mist filtering respirator with MSHA/NIOSH approval number prefix TC-21C or a NIOSH-approved respirator with any M,R,P, or HE filter. In addition, loaders and cleaners of equipment must wear a chemical-resistant apron

Loaders and applicators involved in ground applications, loaders and applicators involved in backpack blower applications must wear coveralls over long-sleeved shirt and long pants, shoes and socks, chemical-resistant gloves, and protective eyewear, such as goggles or safety glasses. Loaders supporting aerial applications must wear coveralls over long-sleeved shirt and long pants, shoes and socks, chemical-resistant gloves, protective eyewear, and a dust-mist filtering respirator with MSHA/NIOSH approval number prefix TC-21C or a NIOSH-approved respirator with any M,R,P, or HE filter. Aerial applicators and flaggers must wear long-sleeved shirt and long pants, shoes and socks, and chemical resistant headgear (flaggers only). In addition, loaders and cleaners of equipment must wear a chemical-resistant apron.

Engineering Controls: Pilots must use an enclosed cockpit and must wear chemical resistant gloves when entering or leaving an aircraft contaminated by pesticide residues. Used gloves must be stored in a closed chemical resistant container, such as a plastic bag, to prevent contamination of the inside of the cockpit.

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean



SAFETY DATA SHEET

1% SKEETER™ ABATE®

Effective Date: 1 June 2015

v.01

Page 10 of 10

clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Other federal regulations

EPCRA 311/312 (Hazard Categories): Immediate Hazard, Delayed Hazard

EPCRA 313 (TRI Reporting)	CAS Number	Chemical name	% by wt.
	3383-96-8	Temephos	1.0

CERCLA RQ	CAS Number	Chemical name	RQ
	None		

U.S. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer:
Crystalline silica (quartz), silicon dioxide, quartz

STATE RIGHT-TO-KNOW : National, state, provincial or local emergency planning, community right-to-know or other laws, regulations or ordinances may be applicable--consult applicable national, state, provincial or local laws.

OSHA HAZARD COMMUNICATION STANDARD: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16. Other Information

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources we believe to be reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared as is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

© ABATE is a Registered Trademark of BASF Corp.

™ SKEETER is a Trademark of Clarke Mosquito Control Products, Inc.

End of document