

# BIOMIST® 3 + 15 ULV

Effective Date: 15 July 2015

v.uz Page 1 of 8

## SECTION 1. Identification of the Substance/Mixture and of the Company

### 1.1 Product Identifier

Formulation Identifier: BIOMIST® 3 + 15 ULV

EPA Registration Number: 8329-33

### 1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant identified uses: Insecticide for control of adult mosquitoes, biting and non-biting midges, and blackflies

Uses advised against: See product label for use restrictions

## 1.3 Details of the Supplier of the Safety Data Sheet

Clarke Mosquito Control Products, Inc.

675 Sidwell Court

St. Charles, IL 60174 U.S.A.

+1 (630) 894-2000

Email: Clarke@clarke.com

### 1.4 Emergency Telephone Number

24-Hour Medical Emergency: POISON CONTROL Toll-free (800) 214 - 7753

24-Hour Transportation Emergency: INFOTRAC (800) 535-5053

## **SECTION 2.** Hazards identification

United States (US) According to OSHA 29 CFR 1910.1200 HCS (2012)

### 2.1 Classification of the Substance or Mixture

Aspiration Hazard: Category 1

Acute Toxicity (Inhalation): Category 4

### Pictogram:





Signal Word:

Danger

Hazard Statements:

May be fatal if swallowed and enters airways.

Harmful if inhaled

**Precautionary Statements:** 

PREVENTION: Avoid breathing mist/spray. Use only outdoors or in a well-ventilated area,

RESPONSE: If swallowed: Immediately call a poison control center or doctor. Do NOT induce vomiting.



## BIOMIST® 3 + 15 ULV

Effective Date: 15 July 2015

Page 2 of 8

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or

doctor if you feel unwell.

STORAGE: Store locked up.

DISPOSAL: Dispose of contents and container in accordance with local/regional/national regulations.

### 2.2 Other Hazards Not Classifiable Under OSHA 2012 HCS

See product label for any additional hazards

### **SECTION 3.** Composition/Information on Ingredients

### 3.1 Components

Substance Name	CAS No.	Concentration % w/w
Permethrin	52645-53-1	3.00
Piperonyl Butoxide	51-03-6	15.00
Petroleum Distillate Mixture:		< 82.00
White Mineral Oil	8042-47-5	
Hydrotreated Distillate, Heavy Paraffin	64742-54-7	
Hydrotreated Distillate, Light Paraffin	64742-55-8	
Hydrotreat Neutral Oil	72623-87-1	

Ingredients not identified are non-hazardous and/or are not required to be disclosed pursuant to 29 CFR 1910.1200 (2012), and are withheld as trade secret.

### **SECTION 4. First Aid Measures**

### 4.1 Description of First Aid Measures

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further

treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to

do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

### 4.2 Most Important Symptoms and Effects, Both Acute and Delayed.

See section 2 and/or section 11.

### 4.3 Indication of Immediate Medical Attention and Special Treatment

Treatment: Contains petroleum distillate. Gastric lavage is indicated if material was taken internally. May pose an

> aspiration pneumonia hazard. Appropriate supportive and symptomatic treatment is indicated by the patient's condition is recommended. For medical treatment information, contact the poison control hotline at 1-800-214-7753. Have the product container or label with you when calling a poison control center or doctor, or going for

treatment.

## **SECTION 5. Fire-Fighting Measures**

### 5.1 Extinguishing Media

Suitable Extinguishing Media: Carbon Dioxide (CO<sub>2</sub>), Dry Chemical, Foam

Unsuitable Extinguishing Media: Water jet

## 5.2 Special Hazards Arising From the Substance or Mixture



Specific Hazards:

# SAFETY DATA SHEET

## BIOMIST® 3 + 15 ULV

Effective Date: 15 July 2015

Page 3 of 8

Under fire conditions some components may decompose. Combustion products may

include CO and NOx.

5.3 Special Protective Equipment and Precautions for Fire-Fighters

Protection Against Fire: Wear positive pressure, self-contained breathing apparatus and protective firefighting

clothing (includes fire-fighting helmet, coat, pants, boots, and gloves).

Special Procedures: Treat as oil fire. Move container from fire area if it can be done without risk. Do not scatter

spilled material with high-pressure water streams. Dike for later disposal. Use extinguishing agents appropriate for surrounding fire. Avoid inhalation of material or combustion by-

products. Stay upwind and keep out of low areas.

#### **SECTION 6. Accidental Release Measures**

### 6.1 Personal Precautions, Protective Equipment and Emergency Procedures

General Precautions: Use appropriate protection (see section 8)

Environmental Precautions: Prevent product from entering into drains and waterways. Do not contaminate surface or

ground water by cleaning equipment or disposal of wastes, including equipment wash water. Collect and dispose of this material and its container in accordance with national and regional regulations. If the product has contaminated surface water, inform the appropriate

authorities. See Section 12 for additional ecological information.

### 6.2 Methods and Material for Containment and Cleaning Up

Clean Up Methods: Soak up with absorbent, non-combustible material, such as sand, silica gel, clay, or

sawdust, while using appropriate personal protection equipment. Collect material in

appropriate container for disposal.

### **SECTION 7. Handling and Storage**

#### 7.1 Precautions for Safe Handling

Handling: Keep out of reach of children. Do not take internally. Avoid contact with skin and eyes. Avoid

inhalation of vapors from product.

Hygiene Measures: Remove Personal Protective Equipment (PPE) immediately after handling this product. Wash

thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove soiled clothing immediately and clean thoroughly before using

again.

### 7.2 Conditions for Safe Storage, Including Any Incompatibilities

Storage: Product should be stored in compliance with local regulations. Store in a cool, dry, well-ventilated

place in the original container. Protect from excessive heat and cold. Do not store near food, drink,

animal feeding stuffs, pharmaceuticals, cosmetics or fertilizers. Keep out of reach of children.

### **SECTION 8. Exposure Controls / Personal Protection**

These precautions are suggested for conditions where the potential for exposure exists. Emergency conditions may require additional precautions.

### 8.1 Control Parameters

Component Name CAS No.	List/Source	Type	Value
------------------------	-------------	------	-------



## BIOMIST® 3 + 15 ULV

Effective Date: 15 July 2015

v.02

Page 4 of 8

Permethrin	52645-53-1	ACGIH	TWA	5 mg/m <sup>3</sup>
		NIOSH	REL	5 mg/m <sup>3</sup>
		OSHA	PEL	5 mg/m <sup>3</sup>
Petroleum Distillate Mixture*:	See section 3	ACGIH	TLV	5 mg/m <sup>3</sup> inhalable fraction
		NIOSH	REL	5 mg/m <sup>3</sup> form: mist
		OSHA	PEL	5 mg/m <sup>3</sup>

<sup>\*</sup>Exposure limits based on limits established for White Mineral Oil (CAS# 8042-47-5) component of mixture.

### 8.2 Exposure controls

Engineering Controls: Use with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

Wash hands thoroughly after handling. Wash clothing before re-using.

Individual Protection Measures, such as Personal Protection Equipment:

Eye Protection: Safety Glasses, Goggles or Face Shield

Skin Protection: Wear suitable protective clothing including long-sleeve shirt, long pants, shoes and socks. Body

protection must be chosen depending on activity and possible exposure, e.g. head protection,

apron.

Hand Protection: Protective glove selection must be based on the user's assessment of the workplace hazards.

Suitable protective chemical resistant materials include barrier laminate, nitrile, neoprene or Viton.

Respiratory Protection: Not usually required. In instances where exposure limits are exceeded, wear a NIOSH-approved

pesticide respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides.

### **SECTION 9. Physical and Chemical Properties**

## 9.1 Information on Basic Physical and Chemical Properties

Appearance: Liquid
Color: Pale Yellow
Odor: Odorless
Odor Threshold: Not Available

pH: Not Available, not miscible in water

Melting Point: Not Applicable
Freezing Point: Not Determined
Initial Boiling Point: Not Determined

Flash Point: >300° F

**Evaporation Rate:** Not Determined Flammability: Not Determined Explosion limits [U/L]: Not Applicable Vapor Pressure: Not Determined Vapor Density: Not Determined Relative Density: 7.42 lbs/gal Solubility: Not Determined Partition Coefficient: Not Determined Auto-Ignition Temperature: Not Determined

Viscosity: 15.16 cSt @ 40 °C (22.6 cSt @ 20 °C)

Decomposition Temperature: Not Available



## BIOMIST® 3 + 15 ULV

Effective Date: 15 July 2015

Page 5 of 8

Explosive Properties: Not Available Oxidizing Properties: Not Available

## **SECTION 10. Stability and Reactivity**

### 10.1 Reactivity

Not Available

### 10.2 Chemical Stability

Stable under normal conditions

### 10.3 Possibility of Hazardous Reactions

Hazardous Reactions: None under normal conditions

Hazardous Polymerization: Not known to occur

#### 10.4 Conditions to avoid

Protect from direct sunlight and excessive heat.

### 10.5 Incompatible materials

Avoid contact with strong oxidizing agents, strong acids, strong bases

### 10.6 Hazardous decomposition products

None known under normal conditions of storage and use

## **SECTION 11. Toxicological information**

## 11.1 Information on Likely Routes of Exposure

Inhalation: May be harmful if inhaled

Ingestion: May be fatal if swallowed and enters airways due to petroleum distillate. Vomiting may cause aspiration

pneumonia.

### 11.2 Information on Toxicological Effects

## Acute Toxicity/Effects

Oral, Rat LD $_{50}$  > 5,000 mg/kg-bw Dermal, Rat LD $_{50}$  > 2,000 mg/kg-bw

Inhalation, Rat  $LC_{50}$  > 3.9 mg/L

Skin Corrosion/Irritation: Not corrosive or irritating to the skin on acute exposure. Mild skin irritation or

cracking may occur from prolonged or repeated exposure to this product.

Serious Eye Damage/Irritation: Mild (transient) eye irritation may occur from direct exposure of the product in the

eyes.

Skin Sensitization: Not a skin sensitizer

STOT – Single exposure No data is available to indicate product or any components present at greater than

0.1% present a specific target organ toxicity hazard from single exposure.

Chronic Toxicity/Effects



## BIOMIST® 3 + 15 ULV

Effective Date: 15 July 2015

Page 6 of 8

v.02

Germ Cell Mutagenicity This product has not been tested. No data is available to indicate product or any

components present at greater than 0.1% are mutagenic or genotoxic. For permethrin and for piperonyl butoxide, no mutagenic effect was found in various

tests with microorganisms and mammalian cell culture.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed

by OSHA, IARC or NTP. Permethrin and Piperonyl Butoxide are classified by

IARC as Group 3: Not classifiable as to carcinogenicity to humans.

Permethrin caused at high dose levels an increased incidence of tumors in mice in the following organ(s): liver, Lungs. The mechanism that triggers tumors in rodents is not relevant for the low exposures encountered under normal use conditions. Piperonyl butoxide was not carcinogenic in lifetime feeding studies in rats and

mice.

Reproductive Effects: No data is available to indicate product or any components present at greater

than 0.1% cause reproductive or teratogenic toxicity. Permethrin did not cause reproductive toxicity in a two-generation study in rats. Piperonyl butoxide did

not cause reproductive toxicity in a two-generation study in rats.

STOT – Repeated exposure No data is available to indicate product or any components present at greater

than 0.1% present a specific target organ toxicity hazard from repeat exposure Permethrin did not cause specific target organ toxicity in experimental animal studies. Piperonyl butoxide did not cause specific target organ toxicity in

experimental animal studies.

### **SECTION 12. Ecological Information**

### 12.1 Ecotoxicity

Product specific data is not available. Data referenced is in relation to the active ingredients, Permethrin and Piperonyl Butoxide.

Toxicity to Fish: Permethrin: 96-hr Acute LC<sub>50</sub> 0.79 ppb, Bluegill Sunfish (*Lepomis macrochirus*)

Piperonyl Butoxide: 96-hr Acute LC50 6.12 ppm, Rainbow Trout (Oncorhynchus mykiss)

Toxicity to Aquatic Invertebrates: Permethrin: 96-hr LC50 0.019 ppb, Mysid Shrimp (Americamysis bahia)

Piperonyl Butoxide: 96-hr LC<sub>50</sub> 0.49 ppm, Mysid Shrimp (Americamysis bahia)

Toxicity to Aquatic Plants: Permethrin: 72-hr EC50 0.5 mg/L, Algae

Piperonyl Butoxide: 72-hr EC<sub>50</sub> > 9.1 mg/L, Algae

### 12.1 Persistence and Degradability

Product specific data not available. Data referenced is in relation to the active ingredients, Permethrin and Piperonyl Butoxide.

Biodegradability: Not rapidly biodegradable.

Partition Coefficient, K<sub>oc</sub>: Permethrin: 100,000

Piperonyl Butoxide: 399 - 830

Bioaccumulation: Bioconcentration (BCF) Permethrin: 300

Bioconcentration (BCF) Piperonyl Butoxide: 2,175

Mobility in Soil: Permethrin: Immobile in soil



## BIOMIST® 3 + 15 ULV

Effective Date: 15 July 2015

v.uz Page 7 of 8

Piperonyl Butoxide: Moderately mobile in soil

### **SECTION 13. Disposal Considerations**

### 13.1 Waste Treatment and Disposal methods

Pesticide wastes are regulated. Consult product label for chemical substance and container disposal instructions. Avoid release to the environment. Improper disposal of excess product or rinsate is a violation of Federal law. If these wastes cannot be disposed or by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA regional office for guidance.

Container disposal: Rinse thoroughly in accordance with label instructions.

### **SECTION 14. Transport Information**

### 14.1 DOT (US)

Not regulated (Bulk and Non-Bulk Quantities)

### 14.2 IMDG (Vessel)

UN Number: 3082 Hazard Class: 9 Packing Group: III

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (PERMETHRIN)

Marine Pollutant: Yes

### 14.3 ICAO/IATA (Air transport)

UN Number: 3082 Hazard Class: 9 Packing Group: III

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (PERMETHRIN)

Environmental Hazard: Yes

### **SECTION 15. Regulatory Information**

<u>FIFRA Information</u>: This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information for safety data sheet, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal Word: CAUTION

### KEEP OUT OF REACH OF CHILDREN

REEF OUT OF REACTION CHILDREN			
	FIRST AID		
Have product container or label with you when calling a poison control center or doctor, or going for treatment. For Medical			
Emergencies, call t	Emergencies, call the International Poison Control Center at 1-800-214-7753.		
IF SWALLOWED:	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a		
	poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to		
	an unconscious person.		
IF ON SKIN OR	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a		
CLOTHING:	poison control center or doctor for treatment advice.		
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial		
	respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment		
	advice.		
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if		
	present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for		



## BIOMIST® 3 + 15 ULV

Effective Date: 15 July 2015

Page 8 of 8

treatment advice.

NOTE TO PHYSICIAN: Product contains a petroleum distillate. Vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing.

<u>Personal Protective Equipment (PPE):</u> Some materials that are chemical-resistant to this product are: barrier laminate, nitrile rubber, neoprene rubber, or Viton. Mixers, loaders, applicators, and other handlers must wear long-sleeve shirt and long pants, shoes plus socks. In addition, all handlers except for applicators using motorized ground equipment, pilots and flaggers, must wear chemical-resistant gloves. In addition, mixers/loaders, persons cleaning equipment, and other persons exposed to the concentrate must wear a chemical-resistant apron. See engineering controls for additional requirements.

<u>User Safety Requirements</u>: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

<u>Engineering Controls</u>: Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(6)]. Human flagging is prohibited. Flagging to support aerial application is limited to use of the Global Positioning System (GPS) or mechanical flaggers.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### **Other Federal Regulations**

### SARA TITLE III CLASSIFICATION

Section 302: None

Section 311/312: Immediate (acute) hazard

Section 313: This product contains the following toxic chemicals subject to the reporting requirements of section

313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372

Permethrin CAS# 52645-53-1 3.0% Piperonyl Butoxide CAS# 51-03-6 15.0%

CERCLA RQ: None

OSHA HAZARD COMMUNICATION STANDARD: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## U.S. California Proposition 65: Not listed

STATE RIGHT-TO-KNOW: National, state, provincial or local emergency planning, community right-to-know or other laws, regulations or ordinances may be applicable--consult applicable national, state, provincial or local laws.

### **SECTION 16. Other Information**

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources we believe to be reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared as is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

® BIOMIST is a Registered Trademark of Clarke Mosquito Control Products, Inc.

End of document